

## Filtro-regulador-lubricador - 2 unidades con enchufe rápido de seguridad prevoS1



### Descripción

| Referencia            | Rosca hembra BSPP | Enchufe | Filtración (µm) |
|-----------------------|-------------------|---------|-----------------|
| <b>ATU B2585100IS</b> | G 1/8             | ISI 06  | 25              |
| <b>ATU B2585101IS</b> | G 1/4             | ISI 06  | 25              |
| <b>ATU B2585102IS</b> | G 3/8             | ISI 06  | 25              |
| <b>ATU B2585103IS</b> | G 1/2             | ISI 06  | 25              |
| <b>ATU B2585100ES</b> | G 1/8             | ESI 07  | 25              |
| <b>ATU B2585101ES</b> | G 1/4             | ESI 07  | 25              |
| <b>ATU B2585102ES</b> | G 3/8             | ESI 07  | 25              |
| <b>ATU B2585103ES</b> | G 1/2             | ESI 07  | 25              |
| <b>ATU B2585100CS</b> | G 1/8             | CSI 06  | 25              |
| <b>ATU B2585101CS</b> | G 1/4             | CSI 06  | 25              |

| Referencia            | Rosca hembra BSPP | Enchufe | Filtración (µm) |
|-----------------------|-------------------|---------|-----------------|
| <b>ATU B2585102CS</b> | G 3/8             | CSI 06  | 25              |
| <b>ATU B2585103CS</b> | G 1/2             | CSI 06  | 25              |

