


## Serie Mini (acero electrolgalvanizado)



### Ø mín./máx. (mm)

6 - 8

### Apriete tornillo (Nm)

1,5

### Ancho de cinta (mm)

9

### Envase (Caja de cartón)

100


### Material

Acero galvanizado tratado

## Descripción

Referencia	Ø mín./máx. (mm)	Apriete tornillo (Nm)	Ancho de cinta (mm)	Envase (Caja de cartón)
<b>PBM 8</b>	6 - 8	1,5	9	100
<b>PBM 9</b>	7 - 9	1,5	9	100
<b>PBM 10</b>	8 - 10	1,5	9	100
<b>PBM 11</b>	9 - 11	1,5	9	100
<b>PBM 12</b>	9 - 12	1,5	9	100
<b>PBM 13</b>	10 - 13	1,5	9	100
<b>PBM 14</b>	11 - 14	1,5	9	100
<b>PBM 15</b>	12 - 15	1,5	9	100
<b>PBM 16</b>	13 - 16	1,5	9	100

Referencia	Ø min./máx.(mm)	Apriete tornillo (Nm)	Ancho de cinta (mm)	Envase (Caja de cartón)
<b>PBM 17</b>	14 - 17	1,5	9	100



### Dimensions

Referencia	A mm	B mm
<b>PBM 8</b>	0.709	0.02
<b>PBM 9</b>	0.709	0.02
<b>PBM 10</b>	0.709	0.02
<b>PBM 11</b>	0.827	0.02
<b>PBM 12</b>	0.827	0.02
<b>PBM 13</b>	0.827	0.02
<b>PBM 14</b>	0.827	0.02

Referencia	A mm	B mm
<b>PBM 15</b>	0.984	0.02
<b>PBM 16</b>	0.984	0.02
<b>PBM 17</b>	0.984	0.02